

MSDS P-2002 Level Coat

Section I- Manufacturer

Magnum Products	Emergency Telephone:	Trade Name: Magnum Level Coat
15740 West 108th Lenexa, KS 66219	Day: 913-888-0882 Night: 913-894-2382	Chemical name N/A

Section II - Hazardous Ingredients

		PEL mg/m³	TLV mg/m³
Calcium Carbonate	CAS4 1317-65-3	15/5(R)	10
Mica	CAS# 12001-26-2	20mppcf	3(R)
Perlite	CAS# 93763-70-3	15	10(R)
Attapulgate Clay	CAS# 1332-58-7	15	10
Polyvinyl Acetate	CAS# 9003-20-7	N/E	N/E
Talc	CAS# 14807-96-6	20mppcf	2(R)
Starch	CAS# 9005-27-0	5	NE
Titanium Dioxide	CAS# 13463-67-7	10/5(R)	10
Hydroxyethylcellulose	CAS# 9004-62-4	NE	NE
Hydroxypropylmethylcellulose	CAS# 9004-65-3	NE	NE
Polyvinyl alcohol	CAS# 9002-89-5	NE	NE
Sod. Polymethacrylate	CAS# 54193-36-1	NE	NE
Quartz*	CAS# 14808-60-7	10	10

* as a natural occurring constituent

(R) Respirable Dust (NE) Not Established

Section III - Physical / Chemical Characteristics

<i>Appearance & Odor</i>	Off White Powder (w/o) aggregate, no odor
<i>Solubility in Water</i>	<3%

Section IV - Fire & Explosion Hazard Data

page 2 of 3

<i>Flash point</i>	N/A Dry powder, non combustible
<i>Special Firefighting Procedures</i>	None

Section V - Reactivity Data

<i>Stable</i>	CO2 released when heated to decomposition.
<i>Hazardous Polymerization</i>	Will not occur.

Section VI - Health Hazard Data

	ACUTE	CHRONIC
<i>Eye Contact</i>	Irritation	None Known
<i>Ingestion</i>	None Known	None Known
<i>Inhalation</i>	Breathing dust or spray mist may irritate the eyes, nose, throat, and upper respiratory system.	Long term inhalation of large quantities of respirable mica dust can cause lung damage (pulmonary fibrosis).
<i>Skin Contact</i>	May cause rash or dry skin	None Known

EMERGENCY AND FIRST AID PROCEDURES

<i>Eye Contact</i>	Wash immediately with water (15 minutes) seek medical attention to avoid lasting effects
<i>Ingestion</i>	If conscious, drink water, see physician.
<i>Inhalation</i>	Move to fresh air.
<i>Skin Contact</i>	Remove clothing from affected area, wash skin with soap and water, if rash occurs discontinue use, see physician. Wash clothing before reuse.

Medical conditions which may be aggravated: Pre-existing upper respiratory and lung disease such as, but not limited to, bronchitis, emphysema and asthma.

Primary Route of entry: Inhalation.

Section VII - Safe Handling & Use

Spill procedure Sweep up slowly, minimizing dust, bag for disposal, wash area with water.

Landfill In accordance with regulations.

Section VIII - Control Measures

Special Precaution Use respirator device when dry sanding (NIOSH/MSHA approved). Wet sand if at all possible.

Eye Protection Goggles if dusty.

Handling & Storage Keep dry.

CAUTION

Keep out of reach of children. If ingested give conscious victim water, material is non-toxic, consult physician. Protect eyes during application and sanding, if irritation occurs flush for 15 minutes consult physician. Wet sand if at all possible, if dry sanding wear (NIOSH/MSHA) approved respirator. Dust may cause eye, nose throat or upper respiratory irritation, long term breathing of large amounts of mica may cause lung disease.